

Scope of Accreditation of Testing Laboratory (Center)

The Testing Center of the Federal State Budgetary Institution
"Omsk Reference Center of the Federal Service for Veterinary and Phytosanitary Surveillance"

Name of testing laboratory (center)

1. 644031, Omsk Region, Omsk, 10 Let Oktyabrya Str., 197, Biological Building
2. 644031, Omsk Region, Omsk, 10 Let Oktyabrya Str., 197, Control and Toxicological Laboratory

Address of the place of activity

Compliance

GOST ISO/IEC 17025-2019 "General Requirements for the Competence of Testing and Calibration Laboratories"

Name and details of an interstate or national standard establishing general requirements for the competence of testing laboratories

No	Documents Establishing Rules and Methods of Research (Tests), Measurements	Object Name	RCPEA 2 Code	EAEU Customs Commodity Code	Target Parameter (Indicator)	Finding Range
----	--	-------------	--------------	-----------------------------	------------------------------	---------------

1. 644031, Omsk Region, Omsk, 10 Let Oktyabrya Str., 197, Biological Building

1	2	3	4	5	6	7
1.	GOST P 58144, clause 8.12	Distilled water	20.13	2853	substances that reduce KMnO4	pink coloring is present / pink coloring is absent
2.	GOST P 58144, clause 8.14	Distilled water			water pH	(0-12) pH unit
3.	GOST P 58144, clause 8.15	Distilled water			specific electrical conductivity of water	(0-20) S/m ((0-200) mS/cm) ((0-2x10 ⁴) mS/m) ((0-2x10 ⁵) μS/cm)
4.	GOST 18164	Drinking water			determination of dry residue (total mineralization)	(10-500) mg/dm ³
5.	GOST P 58797, Method A	Drinking water packaged in containers	10.86	-	determination of the mass concentration of dissolved oxygen	(3.0-16.0) mg/dm ³
6.	Conductometric laboratory liquid analyzer MULTITEST KSL.	Drinking water			specific electrical conductivity of water	(0-20) S/m ((0-200) mS/cm) ((0-2x10 ⁴) mS/m)

	Operators Manual NPKD.421598.102 RE					((0-2x10 ⁵) µS/cm)
7.	pH meter / ion meter ITAN. Operators Manual DPTA.25.0030.000 RE	Drinking water				pH (0-12) pH unit
8.	GOST 34138	Meat (all types of animals), including poultry meat, offal, milk, dairy products, including cow's milk butter and cheese, animal fat	10.11- 10.13 01.41.20, 10.51	0201- 0210, 0401-0406	Abamectin	(0.5-250.0) µg/kg
					Ivermectin	(0.5-250.0) µg/kg
					Doramectin	(0.5-250.0) µg/kg
					Emamectin	(0.5-250.0) µg/kg
					Eprinomectin	(0.5-250.0) µg/kg
					Moxidectin	(0.5-250.0) µg/kg
9.	GOST 34592, clause 7	Meat and offal of all kinds of animals, poultry meat and offal, milk, honey	10.11- 10.13 01.41.20, 10.51	0201- 0210, 0401-0406	Fipronil/ mass fraction of fipronil	(5-100) µg/kg
					Betacyfluthrin / mass fraction of betacyfluthrin	(5-100) µg/kg
					Propoxur / mass fraction of propoxur	(5-100) µg/kg
	GOST 34592, clause 7	Meat and offal of all kinds of animals, poultry meat and offal, milk, honey	10.11- 10.13 01.41.20, 10.51	0201- 0210. 0401-0406	Esfenvalerate / mass fraction of esfenvalerate	(5-100) µg/kg
					Malathion / mass fraction of malathion	(5-100) µg/kg
					Chlorpyrifos-methyl / mass fraction of chlorpyrifos-methyl	(5-100) µg/kg
					Fenvalerate / mass fraction of fenvalerate	(10-1000) µg/kg
					Bifentrin / mass fraction of bifentrin	(10-1000) µg/kg
					Deltamethrin / mass fraction of deltamethrin	(10-1000) µg/kg
					Cypermethrin / mass fraction of cypermethrin	(10-1000) µg/kg
					λ-Cyhalothrin / mass fraction of λ-cyhalothrin	(10-5000) µg/kg
					Carbaryl / mass fraction of carbaryl	(10-5000) µg/kg
Permethrin / mass fraction of permethrin	(10-5000) µg/kg					

10.	Guidelines MU A-1/052	Honey	01.49	0409	Clotrimazole / mass fraction of clotrimazole	(0.1-10) µg/kg
					Rifampicin / mass fraction of rifampicin	(1-100) µg/kg
					Fumagillin / mass fraction of fumagillin	(5-500) µg/kg
					Nystatin / mass fraction of nystatin	(5-500) µg/kg
					Colchicine / mass fraction of colchicine	(1-100) µg/kg
					Imidacloprid / mass fraction of imidacloprid	(1-100) µg/kg
	Guidelines MU A-1/052	Honey			Clothianidine / mass fraction of clothianidine	(1-100) µg/kg
					Dapsone / mass fraction of dapsone	(1-100) µg/kg
11.	GOST 34140	Grain crops, feed, feed raw materials in terms of cereals and oilseeds, compound feed	10.71, 10.13, 01.11, 01.12	1704,1806 1905,1101 1001-1008	Aflatoxin B1	(1.0-200) µg/kg
					Aflatoxin B2	(1.0-200) µg/kg
					Aflatoxin G1	(1.0-200) µg/kg
					Aflatoxin G2	(1.0-200) µg/kg
					Zearalenon	(20-4000) µg/kg
					Ochratoxin A	(1.0-200) µg/kg
					T-2 toxin	(10-2000) µg/kg
					Deoxynivalenol	(100-10000) µg/kg
					Patulin	(1000-2000) µg/kg
					Fumonisin B1	(100-20000) µg/kg
					Fumonisin B2	µg/kg
12.	GOST P 55447	Feed, compound feed, compound feed raw materials	01.19, 10.13, 10.41 10.62, 10.91	2301-2309	Cadmium	(0.01-1.00) mg/kg
					Arsenic	(0.05-10.00) mg/kg
					Lead	(0.05-10.00) mg/kg
13.	Guidelines MUK 4.1.986-00	Food products and food raw materials	10.51, 10.52 10.12- 10.13 10.31,10. 39 10.20, 10.73	0201-0210	Cadmium	(0.01-2.0) mg/kg
				2001-2009 1601- 1605, 0401-0410 0801-0814 1901-1905	Lead	(0.02-10.0) mg/kg

			01.12- 01.13,10. 61, 10.62 10.71, 10.82, 01.41.20	0302-0307 1101-1109 1701-1704 1801-1806		
14.	Federal Register FR.1.31.2010.07610, GC-MS method	Grain of cereals, rice, barley, millet, corn, buckwheat, leguminous crops	01.11	1001-1008	γ-HCCH / mass fraction of HCCH	(0.1-1.25) mg/kg
					DDT / mass fraction of DDT	(0.01-0.125) mg/kg
					Azoxystrobin / mass fraction of azoxystrobin	(0.1-0.6) mg/kg
Federal Register FR.1.31.2010.07610, GC-MS method	Grain of cereals, rice, barley, millet, corn, buckwheat, leguminous crops	01.11	1001-1008	Alpha-cypermethrin / mass fraction of alpha- cypermethrin	(0.005-0.125) mg/kg	
				Bifentrin / mass fraction of bifentrin	(0.1-0.6) mg/kg	
				Heptachlor / mass fraction of heptachlor	(0.005-0.06) mg/kg	
				Deltamethrin / mass fraction of deltamethrin	(0.005-0.125) mg/kg	
				Diazinone / mass fraction of diazinone	(0.05-0.6) mg/kg	
				Dimethoate / mass fraction of dimethoate	(0.005-0.125) mg/kg	
				Diniconazole / mass fraction of diniconazole	(0.01-0.25) mg/kg	
				Diphenconazole / mass fraction of diphenconazole	(0.05-0.25) mg/kg	
				Dichlorophos / mass fraction of dichlorophos	(0.1-0.6) mg/kg	
				Imazalil / mass fraction of imazalil	(0.05-0.6) mg/kg	
				Clodinafop-propargyl / mass fraction of clodinafop- propargyl	(0.025-0.25) mg/kg	
				Lambda-cyhalothrin / mass fraction of lambda- cyhalothrin	(0.005-0.6) mg/kg	

					Malathion / mass fraction of malathion	(0.1-1.25) mg/kg
					Parathion-methyl / mass fraction of parathion-methyl	(0.005-0.25) mg/kg
					Permethrin / mass fraction of permethrin	(0.05-0.6) mg/kg
					Piraclostrobin / mass fraction of piraclostrobin	(0.05-0.6) mg/kg
	Federal Register FR.1.31.2010.07610, GC-MS method	Grain of cereals, rice, barley, millet, corn, buckwheat, leguminous crops	01.11	1001-1008	Pirimiphos-methyl / mass fraction of pirimiphos-methyl	(0.05-0.6) mg/kg
					Promethrin / mass fraction of promethrin	(0.05-0.6) mg/kg
					Propazine / mass fraction of propazine	(0.1-0.6) mg/kg
					Simazine / mass fraction of simazine	(0.05-0.6) mg/kg
					Terbutrin / mass fraction of terbutrin	(0.05-0.6) mg/kg
					Tralkoxydim / mass fraction of tralkoxydim	(0.01-0.125) mg/kg
					Triadimenol / mass fraction of triadimenol	(0.005-0.06) mg/kg
					Triadimephone / mass fraction of triadimephone	(0.02-0.25) mg/kg
					Triticonazole / mass fraction of triticonazole	(0.02-0.125) mg/kg
					Trichlorophone / mass fraction of trichlorophone	(0.05-0.6) mg/kg
					Fenvalerate / mass fraction of fenvalerate	(0.01-0.125) mg/kg
					Fenitrotrion / mass fraction of fenitrotrion	(0.1-1.25) mg/kg
					Fozalon/mass fraction of fozalon	(0.1-0.6) mg/kg
					Chlorpyrifos / mass fraction of chlorpyrifos	(0.005-0.125) mg/kg
					Cypermethrin / mass fraction of cypermethrin	(0.025-0.125) mg/kg
					Esfenvalerate / mass	(0.01-0.125) mg/kg

					fraction of esfenvalerate	
Federal Register FR.1.31.2010.07610, GC-MS method	Soil, ground	-	-	Azoxystrobin / mass fraction of azoxystrobin	(0.05-0.5) mg/kg	
				Alphamethrin / mass fraction of alphamethrin	(0.01-0.25) mg/kg	
				Bifentrin / mass fraction of bifentrin	(0.05-0.6) mg/kg	
				Hexachlorobenzene / mass fraction of hexachlorobenzene	(0.01-0.125) mg/kg	
				Hexachlorocyclohexane (α , β , γ -isomers) / mass fraction of hexachlorocyclohexane (α , β , γ -isomers)	(0.05-0.6) mg/kg	
				Deltamethrin / mass fraction of deltamethrin	(0.01-0.25) mg/kg	
				Diazinone / mass fraction of diazinone	(0.05-0.6) mg/kg	
				Imazalil / mass fraction of imazalil	(0.1-0.6) mg/kg	
				Lambda-cyhalothrin / mass fraction of lambda-cyhalothrin	(0.05-0.6) mg/kg	
				Malathion / mass fraction of malathion	(0.5-2.5) mg/kg	
				Penconazole / mass fraction of penconazole	(0.05-0.6) mg/kg	
				Pirimiphos-methyl / mass fraction of pirimiphos-methyl	(0.01-0.6) mg/kg	
				Promethrin / mass fraction of promethrin	(0.01-0.6) mg/kg	
				Propazine / mass fraction of propazine	(0.01-0.6) mg/kg	
Fenitroton/ mass fraction of fenitroton	(0.05-1.25) mg/kg					
Federal Register FR.1.31.2010.07610,	Soil, ground	-	-	Fozalon/mass fraction of fozalon	(0.01-0.6) mg/kg	
				Chlorpyrifos / mass fraction	(0.01-0.6) mg/kg	

	GC-MS method				of chlorpyrifos	
					Esfenvalerate / mass fraction of esfenvalerate	(0.01-0.6) mg/kg
15.	Federal Register FR.1.31.2010.07610, HPLC-MS method	Grain of cereals, rice, barley, millet, corn, buckwheat, leguminous crops	01.11	1001-1008	2,4-D acid, its salts, esters / mass fraction of 2,4-D acid, salts, esters	(0.005-0.25) mg/kg
					MCPA / mass fraction of MCPA	(0.01-0.25) mg/kg
					Amidosulfuron / mass fraction of amidosulfuron	(0.05-0.6) mg/kg
					Bentazone / mass fraction of bentazone	(0.05-0.25) mg/kg
					Dicamba / mass fraction of dicamba	(0.05-0.25) mg/kg
					Imidacloprid / mass fraction of imidacloprid	(0.05-0.6) mg/kg
					Carbendazim / mass fraction of carbendazim	(0.1-0.6) mg/kg
					Kloquintose-texil / mass fraction of kloquintose- texil	(0.01-0.6) mg/kg
					Metsulfuron-methyl / mass fraction of metsulfuron- methyl	(0.02-0.25) mg/kg
					Mefenpyr-diethyl / mass fraction of mefenpyr-diethyl	(0.05-0.6) mg/kg
					Penconazole / mass fraction of penconazole	(0.005-0.25) mg/kg
					Propiconazole / mass fraction of propiconazole	(0.05-0.6) mg/kg
					Spiroxamine/ mass fraction of spiroxamine	(0.1-0.6) mg/kg
					Tebuconazole/ mass fraction of tebuconazole	(0.1-0.6) mg/kg
	Federal Register FR.1.31.2010.07610, HPLC-MS method	Grain of cereals, rice, barley, millet, corn, buckwheat, leguminous crops	01.11	1001-1008	Thiabendazole / mass fraction of thiabendazole	(0.1-0.6) mg/kg
					Thiamethoxam / mass fraction of thiamethoxam	(0.01-0.6) mg/kg

					Phenoxaprop-P-ethyl / mass fraction of phenoxaprop-P-ethyl	(0.005-0.6) mg/kg
					Chlormequat-chloride / mass fraction of chlormequat-chloride	(0.005-0.125) mg/kg
					Chlorsulfuron / mass fraction of chlorsulfuron	(0.01-0.125) mg/kg
					Ciproconazole / mass fraction of ciproconazole	(0.01-0.125) mg/kg
	Federal Register FR.1.31.2010.07610, HPLC-MS method	Soil, ground			2,4-D acid, its salts, esters / mass fraction of 2,4-D acid, salts, esters	(0.05-0.6) mg/kg
					MCPA / mass fraction of MCPA	(0.02-0.6) mg/kg
					Amidosulfuron / mass fraction of amidosulfuron	(0.05-0.6) mg/kg
					Galaxifopmethyl / mass fraction of galaxifopmethyl	(0.05-0.6) mg/kg
					Dicamba / mass fraction of dicamba	(0.1-0.6) mg/kg
					Diphenconazole / mass fraction of diphenconazole	(0.01-0.6) mg/kg
					Imazapyr / mass fraction of imazapyr	(0.1-0.6) mg/kg
					Imidacloprid / mass fraction of imidacloprid	(0.01-0.6) mg/kg
					Carbendazim / mass fraction of carbendazim	(0.01-0.6) mg/kg
					Clopyralide / mass fraction of clopyralide	(0.05-0.5) mg/kg
	Federal Register FR.1.31.2010.07610, HPLC-MS method	Soil, ground			Piraclostrobin / mass fraction of piraclostrobin	(0.01-0.6) mg/kg
					Rimsulfuron / mass fraction of rimsulfuron	(0.03-0.6) mg/kg
					Simazine / mass fraction of simazine	(0.01-0.25) mg/kg
					Spiroxamine / mass fraction of spiroxamine	(0.01-0.5) mg/kg
					Tebuconazole / mass	(0.01-0.5) mg/kg

					fraction of tebuconazole	
					Terbutrin / mass fraction of terbutrin	(0.01-0.6) mg/kg
					Thiabendazole / mass fraction of thiabendazole	(0.01-1.25) mg/kg
					Thiamethoxam / mass fraction of thiamethoxam	(0.1-0.6) mg/kg
					Triadimephone / mass fraction of triadimephone	(0.01-0.6) mg/kg
					Triticonazole / mass fraction of triticonazole	(0.01-0.6) mg/kg
					Phenoxaprop-P-ethyl / mass fraction of phenoxaprop-P-ethyl	(0.01-0.6) mg/kg
					Chlormequat-chloride / mass fraction of chlormequat-chloride	(0.01-0.6) mg/kg
					Ciproconazole / mass fraction of ciproconazole	(0.05-0.6) mg/kg
16.	Federal Environmental Regulatory Document PND F 16.1:2:2.2:2.3.78 2013	Soil, grounds, bottom sediments, sewage sludge	-	-	Cadmium / mass fraction of cadmium	(1-40) mln ⁻¹ ((1-40) mg/kg)
					Cobalt / mass fraction of cobalt	(5-40) mln ⁻¹ ((5-40) mg/kg)
					Manganese / mass fraction of manganese	(2-60) mln ⁻¹ ((2-60) mg/kg)
	Federal Environmental Regulatory Document PND F 16.1:2:2.2:2.3.78 2013	Soil, grounds, bottom sediments, sewage sludge			Copper / mass concentration of copper	(1-40) mln ⁻¹ ((1-40) mg/kg)
					Nickel / mass fraction of nickel	(4-100) mln ⁻¹ ((4-100) mg/kg)
					Lead / mass fraction of lead	(10-400) mln ⁻¹ ((10-400) mg/kg)
					Chromium / mass fraction of chromium	(5-200) mln ⁻¹ ((5-200) mg/kg)
					Zinc / mass fraction of zinc	(2-20) mln ⁻¹ ((2-20) mg/kg)
17.	GOST 32933	Feed, compound feed	01.19, 10.13, 10.41 10.62,	2301-2309	Crude ash content / mass fraction of crude ash	(1.96-17.98) %

			10.91			
18.	GOST 26971	Grain of rice, oats, buckwheat; rice, oatmeal, buckwheat cereals; rice, oats, buckwheat flour and oatmeal	01.11, 01.12 01.61	1001-1008 1101-1104	Acidity	(2.5-6.0) degree
19.	Guidelines MUK 4.1.1978-05	Sunflower seeds, soybeans	01.11	1201, 1206	Glyphosate	(0.15-1.5) mg/kg
20.	Guidelines MUK 4.1.2022-05	Grain of ear crops	01.11	1001-1008	Tribenuron-methyl	(0.01-0.1) mg/kg
21.	GOST 34136	Meat (all types of animals), including poultry meat, meat products and semi-finished products, fish, shrimps, milk and dairy products, including cheese	10.11- 10.13 01.41.20, 10.51	0201- 0210, 0401-0406	Spiramycin	(1-320) µg/kg
					Erythromycin	(1-320) µg/kg
					Clarithromycin	(1-320) µg/kg
					Tulatromycin	(1-320) µg/kg
					Tylosin	(1-320) µg/kg
					Tilvalosin	(1-320) µg/kg
					Tilmicosin	(1-320) µg/kg
					Spiramycin	(1-3200) µg/kg
					Erythromycin	(1-3200) µg/kg
					Clarithromycin	(1-3200) µg/kg
	GOST 34136	Offal (all kinds of animals), including poultry	10.11- 10.13 01.41.20, 10.51	0201- 0210, 0401-0406	Tulatromycin	(1-3200) µg/kg
					Tylosin	(1-3200) µg/kg
					Tilvalosin	(1-3200) µg/kg
					tilmicosin	(1-3200) µg/kg
		Meat (all kinds of animals), meat products and semi-finished products, fish, shrimps			Lincomycin	(1-160) µg/kg
					Clindamycin	(1-160) µg/kg
					Pirlimycin	(1-160) µg/kg
		Milk, dairy products, including cheese			Lincomycin	(1-240) µg/kg
					Clindamycin	(1-240) µg/kg
					Pirlimycin	(1-240) µg/kg
		Offal (all kinds of animals), including poultry			Lincomycin	(10-2400) µg/kg
					Clindamycin	(10-2400) µg/kg
					Pirlimycin	(10-2400) µg/kg
					Valnemulin	(1-160) µg/kg
		Offal			Tiamulin	(1-160) µg/kg
					Valnemulin	(5-1600) µg/kg
					Tiamulin	(5-1600) µg/kg
22.	GOST 33971	Meat, including poultry meat, offal (liver, kidneys)	10.11- 10.13 01.41.20, 10.51	0201- 0210, 0401-0406	1,4-bisdeoxycarbadox	(0.5-8) µg/kg
					3 -methylquinoxalin-2-carboxylic acid	(0.5-8) µg/kg
					Quinoxalin-2-carboxylic	(0.5-8) µg/kg

					acid	
23.	GOST 32798	Milk, dairy products, meat and meat products, including poultry meat and poultry meat products, egg,	01.41.20, 10.51	0401-0406	Gentamicin	(20-80) µg/kg
					Kanamycin A	(40-160) µg/kg
					Amikacin	(100-400) µg/kg
					Hygromycin B	(100-400) µg/kg
	GOST 32798	egg powder, egg melange, honey, fish	01.41.20, 10.51	0401-0406	Spectinomycin	(100-400) µg/kg
					Dihydrostreptomycin	(100-800) µg/kg
					Streptomycin	(100-800) µg/kg
					Neomycin	(200-800) µg/kg
					Paromomycin	(200-800) µg/kg
					Apramycin	(400-1600) µg/kg
24.	GOST 34137	Meat, including poultry meat, offal, meat products, semi-finished products, eggs, and products of their processing, milk and dairy products, including cheese	10.11- 10.13 01.41.20, 10.51	0201- 0210. 0401-0406	Cefacetril	(5-500) µg/kg
					Cephalexin	(5-500) µg/kg
					Cephalonym	(5-500) µg/kg
					Cefoperazone	(5-500) µg/kg
					Cefkin	(5-500) µg/kg
					Cefapirin	(5-500) µg/kg
					Desacetyl cefapirin	(5-500) µg/kg
					Cefadroxil	(5-500) µg/kg
					Cefsulodine	(5-500) µg/kg
					Cefotaxime	(5-500) µg/kg
					Ceftibutene	(5-500) µg/kg
					Cefpodoxime	(5-500) µg/kg
					Cefpirome	(5-500) µg/kg
					Cefotiam	(5-500) µg/kg
					Cefaclor	(5-500) µg/kg
					Cefetamet	(5-500) µg/kg
Cefepime	(5-500) µg/kg					
Ceftiofur	(30-3000) µg/kg					
25.	GOST P 54518	Milk, eggs, egg powder, egg melange, meat and meat products, poultry meat and offal, fish	10.11- 10.13 01.41.20, 10.51	0201-0210, 0401-0406	Monensin	(1-1000) µg/kg
					Narasin	(1-1000) µg/kg
					Decoquinat	(1-1000) µg/kg
					Toltrazuril	(1-1000) µg/kg
	GOST P 54518	Milk, milk powder, eggs, egg powder, egg melange, meat and meat products, poultry meat and offal, fish	10.11- 10.13 01.41.20, 10.51	0201-0210, 0401-0406	Tinidazole	(1-1000) µg/kg
					Dinitrocarbanilide	(1-1000) µg/kg
					Diclazuril	(1-1000) µg/kg
					Toltrazurila sulfone	(1-1000) µg/kg
					Halofuginone	(1-1000) µg/kg
					Ethopabate	(1-1000) µg/kg

					Arprinocide	(1-1000) µg/kg
					Ternidazole	(1-1000) µg/kg
					Ronidazole	(1-1000) µg/kg
					Clopidol	(1-1000) µg/kg
					Amprolium	(1-1000) µg/kg
					Lasalocide	(1-1000) µg/kg
					Maduramycin	(1-1000) µg/kg
					Robenidin	(1-1000) µg/kg
					Salinomycin	(1-1000) µg/kg
26.	GOST 34535				Monensin	(1-1000) µg/kg
					Maduramycin	(1-1000) µg/kg
					Narasin	(1-1000) µg/kg
					Decoquinate	(1-1000) µg/kg
					Toltrazuril	(1-1000) µg/kg
					Tinidazole	(1-1000) µg/kg
					Dinitrocarbanilide	(1-1000) µg/kg
					Diclazuril	(1-1000) µg/kg
					Toltrazurila sulfone	(1-1000) µg/kg
					Halofuginone	(1-1000) µg/kg
					Ethopabate	(1-1000) µg/kg
					Arprinocid	(1-1000) µg/kg
					Ternidazole	(1-1000) µg/kg
	GOST 34535	Milk, milk powder, eggs, egg powder, egg melange, meat and meat products, poultry meat and offal, fish	10.11-10.13 01.41.20, 10.51	0201-0210, 0401-0406	Ronidazole	(1-1000) µg/kg
					Clopidol	(1-1000) µg/kg
					Amprolium	(1-1000) µg/kg
					Lasalocide	(1-1000) µg/kg
					Robenidine	(1-1000) µg/kg
					Salinomycin	(1-1000) µg/kg
27.	GOST 32834	Milk, dairy products, meat and meat products, meat and poultry products, egg, egg powder, egg melange	10.11-10.13 01.41.20, 10.51	0201-0210, 0401-0406	Levamisole	(1-1000) µg/kg
					Albendazole aminosulfone	(1-1000) µg/kg
					Hydroxytiabendazole	(1-1000) µg/kg
					Pyrantel	(1-1000) µg/kg
					Aminobendazole	(1-1000) µg/kg
					Thiabendazole	(1-1000) µg/kg
					Albendazole sulfone	(1-1000) µg/kg
					Oxfendazole	(1-1000) µg/kg

					Albendazole	(1-1000) µg/kg
					Albendazole sulfoxide	(1-1000) µg/kg
					Aminoflubendazole	(1-1000) µg/kg
					Oxfendazole	(1-1000) µg/kg
					Mebendazole	(1-1000) µg/kg
					Flubendazole	(1-1000) µg/kg
					Fenbendazole	(1-1000) µg/kg
					Hydroxymebendazole	(1-1000) µg/kg
					Parbendazole	(1-1000) µg/kg
					Cambendazole	(1-1000) µg/kg
					Morantel	(1-1000) µg/kg
					Netobimin	(1-1000) µg/kg
					Praziquantel	(1-1000) µg/kg
					Oxybendazole amine	(1-1000) µg/kg
	GOST 32834	Milk, dairy products, meat and meat products, meat and poultry products, eggs, egg powder, egg melange	10.11-10.13 01.41.20, 10.51	0201-0210, 0401-0406	Oxfendazole sulfone	(1-1000) µg/kg
					Febantel	(1-1000) µg/kg
					Triclabendazole sulfone	(1-1000) µg/kg
					Triclabendazole sulfoxide	(1-1000) µg/kg
					Niclosamide	(1-1000) µg/kg
					Oxyclozanide	(1-1000) µg/kg
					Triclabendazole	(1-1000) µg/kg
					Closantel	(1-1000) µg/kg
					Salantel	(1-1000) µg/kg
					Ketotriclabendazole	(1-1000) µg/kg
					Aminotriclabendazole	(1-1000) µg/kg
					Clorsulon	(1-1000) µg/kg
					Nitroxinil	(1-1000) µg/kg
					Rafoxanide	(1-1000) µg/kg
28.	Guidelines MU A-1/044	Fish	03.11,03. 12. 03.21,03. 22 10.20	0301-0307 1604,1605	Albendazole	(1-1000) µg/kg
					Albendazole-2-aminosulfone	(1-1000) µg/kg
					Albendazole sulfoxide	(1-1000) µg/kg
					Albendazole sulfone	(1-1000) µg/kg
					Aminomebendazole	(1-1000) µg/kg
					Aminoxybendazole	(1-1000) µg/kg
					Aminotriclabendazole	(1-1000) µg/kg

					Aminoflubendazole	(1-1000) µg/kg
					Hydroxymebendazole	(1-1000) µg/kg
					Hydroxytiabendazole	(1-1000) µg/kg
					Cambendazole	(1-1000) µg/kg
					Ketotriclabendazole	(1-1000) µg/kg
					Closantel	(1-1000) µg/kg
	Guidelines MU A-1/044	Fish			Clorsulon	(1-1000) µg/kg
					Levamisole	(1-1000) µg/kg
					Mebendazole	(1-1000) µg/kg
					Morantel	(1-1000) µg/kg
					Netobimin	(1-1000) µg/kg
					Niclosamide	(1-1000) µg/kg
					Nitroxinil	(1-1000) µg/kg
					Oxibendazole	(1-1000) µg/kg
					Oxyclozanide	(1-1000) µg/kg
					Oxfendazole	(1-1000) µg/kg
					Oxfendazole sulfone	(1-1000) µg/kg
					Parbendazole	(1-1000) µg/kg
					Pirantel	(1-1000) µg/kg
					Praziquantel	(1-1000) µg/kg
					Rafoxanide	(1-1000) µg/kg
					Thiabendazol	(1-1000) µg/kg
					Triclabendazole sulfoxide	(1-1000) µg/kg
					Triclabendazole sulfone	(1-1000) µg/kg
					Triclabendazole	(1-1000) µg/kg
					Febantel	(1-1000) µg/kg
					Fenbendazole	(1-1000) µg/kg
					Flubendazole	(1-1000) µg/kg
29.	Guidelines MU A-1/061	Meat and meat products, dairy products	10.11- 10.13	0201- 0210.	Imidocarb	(1-1000) µg/kg
		Offal, eggs, feed	01.41.20, 10.51	0401- 0406	Diminazen	(1-1000) µg/kg
					Imidocarb	(50-5000) µg/kg
					Diminazen	(50-5000) µg/kg
30.	Methodical Guidelines MUK 4.2.3695-2021, clause 4.1	Soil	-	-	Index of generalized coliform bacteria (GCB), including E.coli	(1-1000) CFU/g
					Generalized coliform bacteria (GCB), including	(1.0-9.9x10 ¹¹) CFU/g

					E.coli	
31.	Methodical Guidelines MUK 4.2.3695-2021, clause 4.3				Index of generalized coliform bacteria (GCB), including E.coli	(1-1000) CFU/g
					Generalized coliform bacteria (GCB), including E.coli	(1.0-9.9x10 ¹¹) CFU/g
32.	Methodical Guidelines MUK 4.2.3695-2021, clause 5.1				Index of enterococci (fecal)	(1-1000) CFU/g
					Enterococci (fecal)	(1.0-9.9x10 ¹¹) CFU/g
33.	Methodical Guidelines MUK 4.2.3695-2021, clause 5.2				Index of enterococci (fecal)	(1-1000) CFU/g
					Enterococci (fecal)	(1.0-9.9x10 ¹¹) CFU/g
34.	Methodical Guidelines MUK 4.2.3695-2021, clause 6				Pathogenic bacteria, including salmonella	detected / not detected (1.0-9.9x10 ¹¹) CFU/g
35.	Company's Code 2.034—2018 "Bark beetle genus Dendroctonus Erichson. Methods of detection and identification"	Quarantineable products, quarantine objects	-	-	Dendroctonus brevicomis Le Conte	detected / not detected
			-	-	Dendroctonus ponderosae Hopkins	detected / not detected
			-	-	Dendroctonus rufipennis (Kirby)	detected / not detected
			-	-	Dendroctonus valens Le Conte	detected / not detected
36.	Methodical Guidelines 110-2014 MR VNIKR Methodological recommendations for the detection and identification of the African melon fly Bactrocera cucurbitae (Coquillett), cl.1-3.1, 3.3.2, 4.	Quarantineable products, quarantine objects	-	-	African melon fly Bactrocera cucurbitae (Coquillett)	detected / not detected
37.	Methodical Guidelines 09-2014 MR VNIKR Guidelines for the detection and identification of the fall webworm Hyphantria cunea Drury	Quarantineable products, quarantine objects	-	-	the fall webworm Hyphantria cunea Drury	detected / not detected

38.	Methodical Guidelines 21-2019 MR VNIKR Methodological recommendations for the detection and identification of the American plum fruit moth <i>Cydia prunivora</i> (Walsingham) cl.1, 2, 3.3, 4-5.	Quarantineable products, quarantine objects	-	-	American plum fruit moth <i>Cydia prunivora</i> (Walsingham)	detected / not detected
39.	Methodical Guidelines 50-2014 MR VNIKR Methodological recommendations for the detection and identification of the Andean potato weevil of the genus <i>Premnotrypes</i>	Quarantineable products, quarantine objects	-	-	Andean potato weevil of the genus <i>Premnotrypes</i>	detected / not detected
40.	Methodical Guidelines 61-2014 MR VNIKR Methodological recommendations for the detection and identification of the broad-nosed weevil <i>Naupactus leucoloma</i> Bohemian, cl.1, 3.3, 4-5.	Quarantineable products, quarantine objects	-	-	broad-nosed weevil <i>Naupactus leucoloma</i> Bohemian	detected / not detected
41.	Methodical Guidelines 21-2016 MR VNIKR Methodological recommendations for detection and identification of the bronze birch borer <i>Agrilus anxius</i> Gory, cl. 1, 3.3, 4.	Quarantineable products, quarantine objects	-	-	bronze birch borer <i>Agrilus anxius</i> Gory	detected / not detected
42.	Methodical Guidelines 32-2012 MR VNIKR Methodological recommendations for the detection and identification	Quarantineable products, quarantine objects	-	-	povertyweed <i>Iva axillaris</i> Pursh	detected / not detected

	of povertyweed <i>Iva axillaris</i> Pursh					
43.	Methodical Guidelines 02-2020 MR VNIKR Methodological recommendations for the detection and identification of TOMATO SPOTTED WILT VIRUS, cl. 1-1.3, 2.2.2.1, 2.2.3-2.4.	Quarantineable products, quarantine objects	-	-	TOMATO SPOTTED WILT VIRUS	detected / not detected
44.	Methodical Guidelines 01-2020 MR VNIKR Methodological recommendations for the detection and identification of the TOMATO BROWN RUGOSE FRUIT VIRUS, cl. 1, 2.3-2.5	Quarantineable products, quarantine objects	-	-	TOMATO BROWN RUGOSE FRUIT VIRUS	detected / not detected
45.	Methodical Guidelines 60-2019 MR VNIKR Methodological recommendations for the detection and identification of the PEPINO MOSAIC VIRUS, cl.1, 2.3-2.4.2.1, 2.4.2.4-2.6.	Quarantineable products, quarantine objects	-	-	PEPINO MOSAIC VIRUS	detected / not detected
46.	Methodical Guidelines 45-2019 MR VNIKR Methodological recommendations for the detection and identification of the cherry fruit worm <i>Cydia packardi</i> (Zeller), cl.1-2, 3.3, 4-5.	Quarantineable products, quarantine objects	-	-	cherry fruit worm <i>Cydia packardi</i> (Zeller)	detected / not detected
47.	Methodical Guidelines 95-2016 MR VNIKR Methodological recommendations for the	Quarantineable products, quarantine objects	-	-	oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel)	detected / not detected

	detection and identification of the oriental fruit fly <i>Bactrocera dorsalis</i> (Hendel) cl.1, 3, 4.					
48.	Methodical Guidelines 95-2016 MR VNIKR Methodological recommendations for detection and identification of the Eastern black-headed budworm <i>Acleris variana</i> Fernald (Second Edition, 2018), cl. 1, 3.2,4.	Quarantineable products, quarantine objects	-	-	eastern black-headed budworm <i>Acleris variana</i> Fernald	detected / not detected
49.	Company's Code STO VNIKR 3.014–2012 "The pathogen causing potato smut <i>Thecaphora solani</i> (Thirumulachar & O'Brien) Mordue. Methods of detection and identification", cl. 1-3, 5-7.	Quarantineable products, quarantine objects	-	-	potato smut <i>Thecaphora solani</i> (Thirumulachar & O'Brien) Mordue	detected / not detected
50.	Methodical Guidelines 137-2017 MR VNIKR Methodological recommendations for the detection and identification of the pear fruit moth <i>Numonia pyrivorella</i> (Matsumura) – Second Edition, 2018, cl. 1-2, 3.5, 4-5.	Quarantineable products, quarantine objects	-	-	pear fruit moth <i>Numonia pyrivorella</i> (Matsumura)	detected / not detected
51.	Methodical Guidelines 141-2017 MR VNIKR Methodological recommendations for the detection and identification of the Western black-headed budworm <i>Acleris</i>	Quarantineable products, quarantine objects	-	-	western black-headed budworm <i>Acleris gloverana</i> (Walsingham)	detected / not detected

	gloverana (Walsingham) – Second Edition, 2018, cl. 1, 3.2, 4.					
52.	Methodical Guidelines 143-2017 MR VNIKR Methodological recommendations for the detection and identification of the green garden looper <i>Chrysodeixis eriosoma</i> (Doubleday) - Second Edition, 2018, cl.1-2, 3.2-3.3, 4-5.	Quarantineable products, quarantine objects	-	-	green garden looper <i>Chrysodeixis eriosoma</i> (Doubleday)	detected / not detected
53.	Methodical Guidelines 14-2016 MR VNIKR Methodological recommendations for the detection and identification of the golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper), cl. 1, 2.3, 3.	Quarantineable products, quarantine objects	-	-	golden twin-spot moth <i>Chrysodeixis chalcites</i> (Esper)	detected / not detected
54.	Methodical Guidelines 37-2017 MR VNIKR Methodological recommendations for the detection and identification of pitted morning-glory <i>Ipomoea lacunosa</i> L. – Second Edition 2018	Quarantineable products, quarantine objects	-	-	pitted morning-glory <i>Ipomoea lacunosa</i> L.	detected / not detected
55.	Company's Code STO VNIKR 2.033 - 2013 "Potato tuber flea beetle <i>Epitrix tuberis</i> Gentner. Methods of detection and identification", cl. 1-3, 6-8.	Quarantineable products, quarantine objects	-	-	tuber flea beetle <i>Epitrix tuberis</i> Gentner	detected / not detected
56.	Methodical Guidelines 15-2015 MR VNIKR Methodological	Quarantineable products, quarantine objects	-	-	Asian longhorned beetle <i>Anoplophora chinensis</i> (Forster)	detected / not detected

	recommendations for the detection and identification of Asian longhorned beetle <i>Anoplophora chinensis</i> (Forster), cl. 1-2, 3.5-4.6.					
57.	Methodical Guidelines 94-2017 MR VNIKR Methodological recommendations for the detection and identification of the pathogen causing needle blight of pine <i>Mycosphaerella gibsonii</i> H.C. Evans, cl. 1.1-2.4	Quarantineable products, quarantine objects	-	-	needle blight of pine <i>Mycosphaerella gibsonii</i> H.C. Evans	detected / not detected
58.	Methodical Guidelines 16-2019 MR VNIKR Methodological recommendations for the detection and identification of the red scale <i>Aonidiella aurantii</i> (Maskell), cl. 1-3, 6-11	Quarantineable products, quarantine objects	-	-	red scale <i>Aonidiella aurantii</i> (Maskell)	detected / not detected
59.	Methodical Guidelines 96-2018 MR VNIKR Methodological recommendations for the detection and identification of red-necked longhorn beetle <i>Aromia bungii</i> (Faldermann), cl. 1, 2.2-3.	Quarantineable products, quarantine objects	-	-	red-necked longhorn beetle <i>Aromia bungii</i> (Faldermann)	detected / not detected
60.	72-2015 MR VNIKR Methodological recommendations for the detection and identification of the beetle <i>Dinoderus bifoveolatus</i> (Wollaston), cl. 1, 3-4.	Quarantineable products, quarantine objects	-	-	the beetle <i>Dinoderus bifoveolatus</i> (Wollaston)	detected / not detected

61.	132-2017 MR VNIKR Methodological recommendations for the detection and identification of the California sunflower <i>Helianthus californicus</i> DC. – Second Edition, 2018, cl. 1, 3.	Quarantineable products, quarantine objects	-	-	California sunflower <i>Helianthus californicus</i> DC	detected / not detected
62.	14-2015 MR VNIKR Methodological recommendations for the detection and identification of the true chinch bug <i>Blissus leucopterus</i> (Say) - Second Edition, 2019, cl. 1-3, 5-10.	Quarantineable products, quarantine objects	-	-	true chinch bug <i>Blissus leucopterus</i> (Say)	detected / not detected
63.	30-2014 MR VNIKR Methodological recommendations for the detection and identification of the pathogen causing late blight of woody and shrubby plants <i>Phytophthora ramorum</i> , cl. 1-2.2.	Quarantineable products, quarantine objects	-	-	late blight of woody and shrubby plants <i>Phytophthora ramorum</i>	detected / not detected
64.	112-2017 MR VNIKR Methodological recommendations for the detection and identification of the chrysanthemum leaf miner <i>Nemorimyza maculoza</i> (Malloch)	Quarantineable products, quarantine objects	-	-	Chrysanthemum leaf miner <i>Nemorimyza maculoza</i> (Malloch)	detected / not detected
65.	57-2015 MR VNIKR Methodological recommendations for the detection and identification of the broad-nosed grain weevil <i>Caulophilus oryzae</i> Gyll., cl. 1-3, 5-6	Quarantineable products, quarantine objects	-	-	broad-nosed grain weevil <i>Caulophilus oryzae</i> Gyll	detected / not detected

66.	115-2015 MR VNIKR Methodological recommendations for the detection and identification of the apple bupristide Agrilus mali Matsumura, cl. 1, 3.3, 4	Quarantineable products, quarantine objects	-	-	apple bupristide Agrilus mali Matsumura	detected / not detected
67.	96-2014 MR VNIKR Methodological recommendations for the detection and identification of the Japanese pine sawyer Monochamus alternatus (Hope), cl. 1-2.	Quarantineable products, quarantine objects	-	-	Japanese pine sawyer Monochamus alternatus (Hope)	detected / not detected
68.	77-2013 MR VNIKR Methodological recommendations for the detection and identification of the emerald ash borer Agrilus planipennis Fairmaire, cl. 1, 3.3, 4	Quarantineable products, quarantine objects	-	-	emerald ash borer Agrilus planipennis Fairmaire	detected / not detected
69.	86-2015 MR VNIKR Methodological recommendations for the detection and identification of the potato yellowing virus, cl. 1-1.3, 3, 4-4.2.5	Quarantineable products, quarantine objects	-	-	potato yellowing virus	detected / not detected
70.	59-2019 MR VNIKR Methodological recommendations for the detection and identification of the pathogen causing CANDIDATUS LIBERIBACTER SOLANACEARUM, cl. 1, 2.4-2.7.	Quarantineable products, quarantine objects	-	-	pathogen causing CANDIDATUS LIBERIBACTER SOLANACEARUM	detected / not detected
71.	60-2014 MR VNIKR Methodological	Quarantineable products, quarantine objects	-	-	Candidatus Phytoplasma vitis (Flavescence doree)	detected / not detected

	recommendations for the detection and identification of the pathogen causing Candidatus Phytoplasma vitis (Flavescence doree) clause 1					
72.	47-2019 MR VNIKR Methodological recommendations for detection and identification of potato black ringspot virus, cl. 1, 2.4-2.5.2.1, 2.5.2.3-2.5.2.4.1, 2.5.2.5-2.7.	Quarantineable products, quarantine objects	-	-	POTATO BLACK RINGSPOT NEPOVIRUS	detected / not detected
73.	111-2017 MR VNIKR Methodological recommendations for detection and identification of the pathogen causing Cronartium fusiforme Hedgcock & Hunt ex Cummins	Quarantineable products, quarantine objects	-	-	pathogen causing Cronartium fusiforme Hedgcock & Hunt ex Cummins	detected / not detected
74.	62-2014 MR VNIKR Methodological recommendations for detection and identification of the pathogen causing the Texas root rot Phymatotrichopsis omnivora (Duggar) Hennebert, cl. 1-2.2, 2.4-3.	Quarantineable products, quarantine objects	-	-	pathogen causing the Texas root rot Phymatotrichopsis omnivora (Duggar) Hennebert	detected / not detected
75.	31-2012 MR VNIKR Methodological recommendations for the detection and identification of the pathogen causing the late blight of ornamental and woody crops Phytophthora kernoviae Brasier, Beales & S.A. Kirk, (General	Quarantineable products, quarantine objects	-	-	the late blight of ornamental and woody crops Phytophthora kernoviae Brasier, Beales & S.A. Kirk	detected / not detected

	information about the pathogen, Visual method (according to the symptoms of the disease), Morphological method (Direct microscopy)					
76.	31-2015 MR VNIKR Methodological recommendations for the detection and identification of the pathogen causing <i>Melampsora medusae</i> Thumen, cl. 1-2.3.	Quarantineable products, quarantine objects	-	-	Pathogen causing <i>Melampsora medusae</i> Thumen	detected / not detected
77.	02-2015 MR VNIKR Methodological recommendations for the detection and identification of the northern corn rootworm <i>Diabrotica barberi</i> Smith and Lawrence, cl. 1, 3-4.	Quarantineable products, quarantine objects	-	-	the northern corn rootworm <i>Diabrotica barberi</i> Smith and Lawrence	detected / not detected
78.	41-2014 MR VNIKR Methodological recommendations for the detection and identification of phylloxera <i>Viteus vitifoliae</i> (Fitch), cl. 1, 3-5.	Quarantineable products, quarantine objects	-	-	phylloxera <i>Viteus vitifoliae</i> (Fitch)	detected / not detected
79.	117-2018 MR VNIKR Methodological recommendations for the detection and identification of the bur cucumber <i>Sicyos angulatus</i> L., cl. 1-2, 3.2-4.5.	Quarantineable products, quarantine objects	-	-	the bur cucumber <i>Sicyos angulatus</i> L.	detected / not detected
80.	46-2019 MR VNIKR Methodological recommendations for the detection and identification	Quarantineable products, quarantine objects	-	-	the prickly sida <i>Sida spinosa</i> L.	detected / not detected

	of the prickly sida <i>Sida spinosa</i> L., cl. 1-3, 5-7.					
81.	PH-002, "SINTOL LTD." Product Instruction. An extraction kit for isolation of DNA of the <i>Ralstonia solanacearum</i> (paca 3, bv.2) and <i>Ralstonia solanacearum</i> (paca 1, bv.1) by real time polymerase chain reaction (RT-PCR) " <i>Ralstonia solanacearum</i> -RT"	Quarantineable products, quarantine objects	-	-	<i>Ralstonia solanacearum</i>	detected / not detected
82.	PV-012, "SINTOL LTD." Product Instruction. An extraction kit for isolation of Andean latent potato virus RNA by real-time polymerase chain reaction combined with reverse transcription reaction (RT-PCR-RT) "Andean potato latent virus-RT"	Quarantineable products, quarantine objects	-	-	Andean potato latent virus	detected / not detected
83.	PH-100m, "SINTOL LTD." Product Instruction. An extraction kit for differential diagnostics and Isolation of the white and golden potato nematode DNA by real time polymerase chain reaction "Globodera rostochiensis and Globodera pallid"	Quarantineable products, quarantine objects	-	-	white potato nematode <i>Globodera pallid</i>	detected / not detected
					golden potato nematode <i>Globodera rostochiensis</i>	detected / not detected
84.	PH-028, "SINTOL LTD." Product Instruction. An extraction kit for the tomato spotted wilt virus RNA isolation by real-time polymerase chain reaction	Quarantineable products, quarantine objects	-	-	tomato spotted wilt virus	detected / not detected

	combined with reverse transcription reaction (RT-PCR-RT) "Tomato ringspot virus-RT"					
85.	RN-022, "SINTOL LTD." Product Instruction. An extraction kit for the isolation of DNA of pathogen causing Candidatus Phytoplasma pyri by real-time polymerase chain reaction "Candidatus Phytoplasma pyri- RT"	Quarantineable products, quarantine objects	-	-	pathogen causing Candidatus Phytoplasma pyri	detected / not detected
86.	RN-038, "SINTOL LTD." Product Instruction. An extraction kit for isolation of DNA of pathogen causing the bacterial wilt of dry beans by real-time polymerase chain reaction "Curtobacterium flaccumfaciens pv. flaccumfaciens-RT"	Quarantineable products, quarantine objects	-	-	pathogen causing the bacterial wilt of dry beans Curtobacterium flaccumfaciens	detected / not detected
87.	PH-040, "SINTOL LTD." Product Instruction. An extraction kit for isolation of tobacco ringspot virus RNA by real-time polymerase chain reaction combined with reverse transcription reaction (RT-PCR-RT) "Tobacco ringspot virus-RT"	Quarantineable products, quarantine objects	-	-	Tobacco ringspot virus	detected / not detected
88.	PH-520, "SINTOL LTD." Product Instruction. An extraction kit for isolation of nucleic acid from plant material "PHYTO-SORB"	Quarantineable products, quarantine objects	-	-	DNA of plant pathogens	detected / not detected
89.	PH-043, "SINTOL LTD." Product Instruction. An extraction kit for isolation of RNA of Tomato brown	Quarantineable products, quarantine objects	-	-	Tomato brown rugose fruit virus	detected / not detected

	rugose fruit virus by real-time polymerase chain reaction combined with reverse transcription reaction (RT-PCR-RT) "Tomato brown rugose fruit virus-RT"					
90.	PH-042, , "SINTOL LTD." Product Instruction. An extraction kit for isolation of RNA of tomato spotted wilt virus by real-time polymerase chain reaction combined with reverse transcription reaction (RT-PCR-RT)	Quarantineable products, quarantine objects	-	-	Tomato spotted wilt virus	detected / not detected
91.	PH-045, "SINTOL LTD." Product Instruction. An extraction kit for isolation of RNA of Pepino mosaic virus by real-time polymerase chain reaction combined with reverse transcription reaction (RT-PCR-RT) "Pepino mosaic virus-RT"	Quarantineable products, quarantine objects	-	-	Pepino mosaic virus	detected / not detected
92.	PH-046, "SINTOL LTD." Product Instruction. An extraction kit for isolation of DNA of pathogen causing blight of rice by real-time polymerase chain reaction (PCR-RT) "Xanthomonas oryzae pv.oryzicola-RT"	Quarantineable products, quarantine objects	-	-	Xanthomonas oryzae pv.oryzicola	detected / not detected
93.	PH-035, "SINTOL LTD." Product Instruction. An extraction kit for isolation of DNA of pathogen causing purple seed stain disease on	Quarantineable products, quarantine objects	-	-	Pathogen causing purple seed stain disease on soybean	detected / not detected

	soybean by real-time polymerase chain reaction (PCR-RT) "Cercospora kikuchii-RT"					
94.	PH-019, "SINTOL LTD." Product Instruction. An extraction kit for isolation of DNA of pathogen causing Candidatus Liberibacter Solanacearum "Candidatus Liberibacter Solanacearum-RT"	Quarantineable products, quarantine objects	-	-	CANDIDATUS LIBERIBACTER SOLANACEARUM	detected / not detected
95.	"Agrodiagnostika Ltd." Brief instructions for reagent kits for reverse transcription of RNA and PCR-amplification of cDNA of phytopathogenic viruses (Real-Time, Corbett Life Science-Rotor- Gene 6000 formats)	Quarantineable products, quarantine objects	-	-	Plum pox potyvirus	detected / not detected
			-	-	Andean Potato Latent Tymovirus	detected / not detected
			-	-	Andean potato mottle comovirus	detected / not detected
			-	-	Potato spindle tuber viroid	detected / not detected
			-	-	Impatiens necrotic spot tospovirus	detected / not detected
			-	-	Tomato Spotted Wilt Virus	detected / not detected
			-	-	Tobacco ringspot nepovirus	detected / not detected
96.	EW-001, "SINTOL LTD." Product Instruction. An extraction kit for isolating DNA of phytoplasmas from plant material "CytoSorb"	Quarantineable products, quarantine objects	-	-	DNA of phytoplasmas of from plants	detected / not detected
97.	20-2015 MR VNIKR Methodological recommendations for the detection and identification of the Asian gypsy moth LYMANTRIA DISPAR ASIATICA VNUKOVSKIJ,	Quarantineable products, quarantine objects	-	-	the Asian gypsy moth LYMANTRIA DISPAR	detected / not detected

	cl. 1.1, 1.2, 1.4.1, 1.4.2					
98.	74-2015 MR VNIKR Methodological recommendations for the detection and identification of the <i>Bidens pilosa</i> L., cl. 1, 2, 3.2-4	Quarantineable products, quarantine objects	-	-	<i>Bidens pilosa</i> L.	detected / not detected
99.	38-2015 MR VNIKR Methodological recommendations for the detection and identification of the Potato spindle tuber viroid, cl. 1-3.1, 4-4.5	Quarantineable products, quarantine objects	-	-	POTATO SPINDLE TUBER VIROID	detected / not detected
100.	Company's Code STO VNIKR 4.009—2013 Pathogen causing Bacterial wilts of potato RALSTONIA SOLANACEARUM (SMITH) YABUUCHI ET AL. Methods of detection and identification, cl. 1-4, 5.2-5.3.2.3, 6.3-6.3.2.4, 6.3.3.26.3.3.3, 7, 8.3- 8.3.4.4	Quarantineable products, quarantine objects	-	-	pathogen causing Bacterial wilts of potato RALSTONIA SOLANACEARUM (SMITH) YABUUCHI ET AL.	detected / not detected
101.	68-2013 MR VNIKR Methodological recommendations for the detection and identification of the tomato thrips <i>Frankliniella schultzei</i> (Trybom), cl. 1, 3-9.	Quarantineable products, quarantine objects	-	-	tomato thrips <i>Frankliniella</i> <i>schultzei</i> (Trybom)	detected / not detected
102.	STO VNIKR 3.012-2012 <i>Chrysanthemum ray</i> blight <i>Didymella ligulicola</i> (K.F. Baker, Dimock & Davis) von Arx., cl. 1-3, 6-7.	Quarantineable products, quarantine objects	-	-	<i>Chrysanthemum ray</i> blight <i>Didymella ligulicola</i> (K.F. Baker, Dimock & Davis) von Arx.	detected / not detected
103.	STO VNIKR 3.013-2012	Quarantineable products, quarantine	-	-	Pathogen causing	detected / not

	Pathogen causing chrysanthemum white rust Puccinia horiana Hennings. FGBU "VNIKR", M. 2012, cl. 1-3, 6-7.	objects			chrysanthemum white rust Puccinia horiana Hennings	detected
104.	11-2014 MR VNIKR Methodological recommendations for the detection and identification of the tobacco thrips Frankliniella fusca (Hinds)	Quarantineable products, quarantine objects	-	-	Tobacco thrips Frankliniella fusca (Hinds)	detected / not detected
105.	49-2014 MR VNIKR Methodological recommendations for the detection and identification of pathogens causing the blight of rice Xanthomonas oryzae pv. oryzae and Xanthomonas oryzae pv.oryzicola. sec. 1, sec. 2: cl.1.2-5, clause 2, clause 3.3	Quarantineable products, quarantine objects	-	-	blight of rice Xanthomonas oryzae pv. oryzae	detected / not detected
			-	-	blight of rice Xanthomonas oryzae pv. oryzicola	detected / not detected
106.	Monitoring of alternarioses of agricultural crops and identification of fungi of the genus Alternaria. Hannibal F.B., St. Petersburg, 2011.	Quarantineable products, quarantine objects	-	-	fungi of the genus Alternaria	detected / not detected

2. 644031, Omsk Region, Omsk, 10 Let Oktyabrya Str., 197, Control and Toxicological Laboratory

107.	GOST 12037	Seeds of agricultural crops, except cotton, sugar beet, flower crops	01.11, except 01.11.84, 01.13.7	0909, 0910, 1008, 12041207, 1209	purity and waste of seeds	(0.01-100) %
					impurities	(0.01-100) % ((0-5000) pcs/kg)
					seed alignment	(1-100) %
108.	GOST 12038	Seeds of agricultural crops, except cotton, sugar beet, flower crops	01.11, except 01.11.84,	0909, 0910, 1008,	germinating ability	(0-100) %
					seed vigor	(0-100) %
					suitability of seeds for sowing	(0-100) %

			01.13.7	12041207, 1209	degree of seed damage	weak/medium/strong
109.	GOST 12041	Seeds of agricultural crops, except cotton, sugar beet, flower crops			moisture	(0.5-25.0) %
110.	GOST 12042	Seeds of agricultural crops, except cotton, sugar beet, flower crops			weight of 1000 seeds	(0.01-3000) g
111.	GOST 12044 clause 10.1	Seeds of agricultural crops, except cotton, sugar beet, flower crops			infection rate	not detected / (0-100) %
112.	GOST 12044 clause 10.10.2	Seeds of agricultural crops, except cotton, sugar beet, flower crops			infection rate	not detected / (0-100) %
113.	GOST 12045 clause 6, clause 7	Seeds of agricultural crops, except cotton, sugar beet, flower crops			pest colonization	not detected / (0-1000) pcs/kg
114.	GOST 24933.1	Seeds of flower crops	01.19	-	purity and waste of seeds	(0-100) %
					impurities	(0.01-100) % ((0-5000) pcs/kg)
115.	GOST 24933.2	Seeds of flower crops			germinating ability	(0-100) %
					seed vigor	(0-100) %
116.	GOST 24933.3	Seeds of flower crops			moisture	(0.5-70) %
117.	GOST 30025	Seeds of essential-oil-bearing crops	01.28.30	-	purity and waste of seeds	(0-100) %
					impurities	(0.01-100) % ((0-5000) pcs/kg)
118.	GOST 30361	Seeds of essential-oil-bearing crops			pest colonization	not detected / (0-100) pcs/kg
119.	GOST 30556	Seeds of essential-oil-bearing crops			germinating ability	(0-100) %
					seed vigor	(0-100) %
120.	32-2015 MR VNIKR Methodological recommendations for the detection and identification of soybean cyst nematode <i>Heterodera glycines</i> (Ichinohe), cl. 1-4, 6-6.3.1, 7.	Quarantineable products, quarantine objects	-	-	soybean cyst nematode <i>Heterodera glycines</i> (Ichinohe)	detected / not detected
121.	78-2018 MR VNIKR Methodological recommendations for the detection and identification of false root-knot nematode	Quarantineable products, quarantine objects	-	-	false root-knot nematode <i>Nacobbus aberrans</i> Thome & Allen.	detected / not detected

	Nacobbus aberrans Thome & Allen., cl. 1, 3-5.					
122.	72-2019 MR VNIKR Methodological recommendations for the detection and identification of false root-knot nematode Meloidogyne enterolobii Yang & Eisenback, cl. 1, 2, 4-6.	Quarantineable products, quarantine objects	-	-	false root-knot nematode Meloidogyne enterolobii Yang & Eisenback	detected / not detected

Director of Federal State Budgetary Institution "Omsk Reference Center of the Federal Service for Veterinary and Phytosanitary Surveillance"

Title of Authorized Official

[signature]

Signature of Authorized Official

G.Ya. Gering

Initials, Surname of Authorized Official